ELSEVIER

Brain Research 728 (1996) 287–289

BRAIN RESEARCH

Author Index

Altura, B.M., see Zhang, A. (728) 204
Altura, B.T., see Zhang, A. (728) 204
Arnold, R., see Mönnikes, H. (728) 157
Aronin, N., see Peters, R.V. (728) 231
Arora, R.C., see Crayton, J.W. (728) 260

Ballard, T., see Giustino, A. (728) 149
Barron, K.W., see Croom, J.E. (728) 281
Bartus, R.T., see Charles, V. (728) 193
Bauer, C., see Mönnikes, H. (728) 157
Beckett, S., see Giustino, A. (728) 149

Carpenter, D.O., see Oyama, Y. (728) 121
Chandler, M.J., see Croom, J.E. (728) 281
Charles, V., Mufson, E.J., Friden, P.M., Bartus, R.T. and Kordower, J.H.
Atrophy of cholinergic basal forebrain neurons following excitotoxic cortical lesions is reversed by intravenous administration of an NGF conjugate (728) 193
Cheng, T.P.-O., see Zhang, A. (728) 204
Chikahisa, L., see Oyama, Y. (728) 121
Ciani, E., Grøneng, L., Voltattorni, M., Rolseth, V., Contestabile, A. and Paulsen, R.E.
Inhibition of free radical production or free radical scavenging protects from the excitotoxic cell death mediated by glutamate in cultures of cerebellar granule neurons (728) 1
Cody, A.R., Wilson, W. and Leah, J.
Acoustically activated c-*fos* expression in auditory nuclei of the anaesthetised guinea pig (728) 72
Conner, J.M., see Hoener, M.C. (728) 47
Contestabile, A., see Ciani, E. (728) 1
Costello, J.W., see Hoener, M.C. (728) 47
Crayton, J.W., Joshi, I., Gulati, A., Arora, R.C. and Wolf, W.A.
Effect of corticosterone on serotonin and catecholamine receptors and uptake sites in rat frontal cortex (728) 260
Croom, J.E., Barron, K.W., Chandler, M.J. and Foreman, R.D.
Cutaneous blood flow increases in the rat hindpaw during dorsal column stimulation (728) 281
Cuomo, V., see Giustino, A. (728) 149
Czepita, D. and Daw, N.W.
The contribution of NMDA receptors to the visual response in animals that have been partially monocularly deprived (728) 7

Dalia, A., Uretsky, N.J. and Wallace, L.J.
Induction of locomotor activity by the glutamate antagonist DNQX injected into the ventral tegmental area (728) 209
Daw, N.W., see Czepita, D. (728) 7
DeTolla, L.J., see Kapcala, L.P. (728) 247
Dougherty, P.M., Li, Y.-J., Lenz, F.A., Rowland, L. and Mittman, S.
Evidence that excitatory amino acids mediate afferent input to the primate somatosensory thalamus (728) 267
Dringenberg, H.C. and Vanderwolf, C.H.
5-Hydroxytryptamine (5-HT) agonists: effects on neocortical slow wave activity after combined muscarinic and serotonergic blockade (728) 181
Drucker-Colín, R., see Jiménez-Anguiano, A. (728) 37
Durán-Vázquez, A., see Jiménez-Anguiano, A. (728) 37
Dziewiątkowska, A., see Węgiel, J. (728) 20
Dziewiątkowski, J., see Węgiel, J. (728) 20

Ebert, U., Gernert, M., Löscher, W. and Richter, A.
Abnormal c-*fos* expression in the lateral habenula during dystonic attacks in a hamster model of idiopathic dystonia (728) 125

Fan, S.-H., see Zhang, A. (728) 204
Foreman, R.D., see Croom, J.E. (728) 281
Fregly, M.J., see Rowland, N.E. (728) 90
Friden, P.M., see Charles, V. (728) 193
Fukuda, H., see Kawashima, R. (728) 79
Fukuda, T., Watabe, K. and Tanaka, J.
Effects of bromocriptine and/or L-DOPA on neurons in substantia nigra of MPTP-treated C57BL/6 mice (728) 274
Furumoto, S., see Kawashima, R. (728) 79

Gao, Y., see Kapcala, L.P. (728) 247
García-García, F., see Jiménez-Anguiano, A. (728) 37
Gernert, M., see Ebert, U. (728) 125
Giustino, A., Beckett, S., Ballard, T., Cuomo, V. and Marsden, C.A.
Perinatal cocaine reduces responsiveness to cocaine and causes alterations in exploratory behavior and visual discrimination in young-adult rats (728) 149
Goldberg, S.J., see Guo, Y. (728) 277
Goto, K., see Uesugi, M. (728) 255
Gotoh, R., see Kawashima, R. (728) 79
Grøneng, L., see Ciani, E. (728) 1
Gruol, D.L. and Parsons, K.L.
Chronic alcohol reduces calcium signaling elicited by glutamate receptor stimulation in developing cerebellar neurons (728) 166
Gulati, A., see Crayton, J.W. (728) 260
Guo, Y., Goldberg, S.J. and McClung, J.R.
Compartmental organization of styloglossus and hyoglossus motoneurons in the hypoglossal nucleus of the rat (728) 277

Hama, H., see Uesugi, M. (728) 255
Han, L., see Rowland, N.E. (728) 90
Hayashi, K., see Uesugi, M. (728) 255
He, J.R., see Kapcala, L.P. (728) 247
Hewitt, E., see Hoener, M.C. (728) 47
Hirata, A., see Okabe, A. (728) 116
Hoener, M.C., Hewitt, E., Conner, J.M., Costello, J.W. and Varon, S.
Nerve growth factor (NGF) content in adult rat brain tissues is several-fold higher than generally reported and is largely associated with sedimentable fractions (728) 47
Hollister, R.D., Kisiel, W. and Hyman, B.T.
Immunohistochemical localization of tissue factor pathway inhibitor-1 (TFPI-1), a Kunitz proteinase inhibitor, in Alzheimer's disease (728) 13
Hoshino, S., see Osonoe, M. (728) 242
Hyman, B.T., see Hollister, R.D. (728) 13

Ishibashi, Y., see Nakagawa, Y. (728) 225
Ishima, T., see Nakagawa, Y. (728) 225
Ito, J., see Okabe, A. (728) 116
Itoh, H., see Kawashima, R. (728) 79
Iwata, Y., see Osonoe, M. (728) 242

Jiménez-Anguiano, A., García-García, F., Mendoza-Ramírez, J.L., Durán-Vázquez, A. and Drucker-Colín, R.
Brain distribution of vasoactive intestinal peptide receptors following REM sleep deprivation (728) 37
Joshi, I., see Crayton, J.W. (728) 260

Kapcala, L.P., He, J.R., Gao, Y., Pieper, J.O. and DeTolla, L.J.
Subdiaphragmatic vagotomy inhibits intra-abdominal interleukin-1β stimulation of adrenocorticotropin secretion (728) 247

Kasuya, Y., see Uesugi, M. (728) 255
Kawashima, R., Satoh, K., Itoh, H., Ono, S., Furumoto, S., Gotoh, R., Koyama, M., Yoshioka, S., Takahashi, T., Takahashi, K., Yanagisawa, T. and Fukuda, H.
Functional anatomy of GO/NO-GO discrimination and response selection – a PET study in man (728) 79
Keck, B.J. and Lakoski, J.M.
Age-related assessment of central 5-HT_{1A} receptors following irreversible inactivation by *N*-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (EEDQ) (728) 130
Kim, K.S., see Węgiel, J. (728) 20
Kisiel, W., see Hollister, R.D. (728) 13
Kittaka, H., see Osonoe, M. (728) 242
Kolb, P.E., see Planas, B. (728) 57
Kordower, J.H., see Charles, V. (728) 193
Koyama, M., see Kawashima, R. (728) 79
Kremer, H.P.H., see Timmers, H.J.L.M. (728) 141

LaHoste, G.J., Ruskin, D.N. and Marshall, J.F.
Cerebrocortical Fos expression following dopaminergic stimulation: D1/D2 synergism and its breakdown (728) 97
Lakoski, J.M., see Keck, B.J. (728) 130
Lauer, G., see Mönnikes, H. (728) 157
Leah, J., see Cody, A.R. (728) 72
Lenz, F.A., see Dougherty, P.M. (728) 267
Li, B.-H. and Rowland, N.E.
Effect of chronic dexfenfluramine on Fos in rat brain (728) 188
Li, Y.-J., see Dougherty, P.M. (728) 267
Löscher, W., see Ebert, U. (728) 125

Marsden, C.A., see Giustino, A. (728) 149
Marshall, J.F., see LaHoste, G.J. (728) 97
Masaki, T., see Uesugi, M. (728) 255
Matsuyama, S., Nei, K. and Tanaka, C.
Regulation of glutamate release via NMDA and 5-HT_{1A} receptors in guinea pig dentate gyrus (728) 175
Matsuyama, S., see Nei, K. (728) 105
McClung, J.R., see Guo, Y. (728) 277
Mendoza-Ramírez, J.L., see Jiménez-Anguiano, A. (728) 37
Meng, X.-W., Ohara, P.T. and Ralston III, H.J.
Nitric oxide synthase immunoreactivity distinguishes a sub-population of GABA-immunoreactive neurons in the ventrobasal complex of the cat (728) 111
Miller, M.A., see Planas, B. (728) 57
Mittman, S., see Dougherty, P.M. (728) 267
Momota, Y., see Okabe, A. (728) 116
Mönnikes, H., Tebbe, J., Bauer, C., Lauer, G. and Arnold, R.
Microinfusion of corticotropin-releasing factor into the locus coeruleus/subcoeruleus nuclei inhibits gastric acid secretion via spinal pathways in the rat (728) 157
Mori, N., see Osonoe, M. (728) 242
Moryś, J., see Węgiel, J. (728) 20
Mufson, E.J., see Charles, V. (728) 193

Nakagawa, Y., Ishima, T., Ishibashi, Y., Tsuji, M. and Takashima, T.
Involvement of $GABA_B$ receptor systems in action of antidepressants. II: Baclofen attenuates the effect of desipramine whereas muscimol has no effect in learned helplessness paradigm in rats (728) 225
Nei, K., Matsuyama, S., Shuntoh, H. and Tanaka, C.
NMDA receptor activation induces glutamate release through nitric oxide synthesis in guinea pig dentate gyrus (728) 105
Nei, K., see Matsuyama, S. (728) 175
Nishino, H., see Okabe, A. (728) 116

Ohara, P.T., see Meng, X.-W. (728) 111
Ohtani, I., see Okamura, H. (728) 263
Okabe, A., Momota, Y., Yoshida, S., Hirata, A., Ito, J., Nishino, H. and Shiosaka, S.
Kindling induces neuropsin mRNA in the mouse brain (728) 116
Okamura, H., Sugai, N. and Ohtani, I.
Identification of nasal epithelial cells with carbonic anhydrase activity (728) 263
Okazaki, E., see Oyama, Y. (728) 121
Omote, K., see Satoh, O. (728) 27
Ono, S., see Kawashima, R. (728) 79
Osonoe, K., see Osonoe, M. (728) 242
Osonoe, M., Mori, N., Hoshino, S., Yamada, Y., Osonoe, K., Kittaka, H. and Iwata, Y.
The effects of *N*-methyl-D-aspartate (NMDA) and its competitive antagonist, 3-(2-carboxypiperazine-4-yl)propyl-1-phoshonic acid (CPP), injected into caudate-putamen on kindled amygdaloid seizures in rats (728) 242
Oyama, Y., Carpenter, D.O., Chikahisa, L. and Okazaki, E.
Flow-cytometric estimation on glutamate- and kainate-induced increases in intracellular Ca^{2+} of brain neurons: a technical aspect (728) 121

Parsons, K.L., see Gruol, D.L. (728) 166
Pascual, J., see Rodríguez-Puertas, R. (728) 65
Paulsen, R.E., see Ciani, E. (728) 1
Pawlowski, B., see Trabulsi, R. (728) 135
Pazos, A., see Rodríguez-Puertas, R. (728) 65
Peters, R.V., Aronin, N. and Schwartz, W.J.
c-Fos expression in the rat intergeniculate leaflet: photic regulation, co-localization with Fos-B, and cellular identification (728) 231
Pieper, J.O., see Kapcala, L.P. (728) 247
Planas, B., Kolb, P.E., Raskind, M.A. and Miller, M.A.
Galanin gene expression declines with adulthood in the cholinergic fields of the horizontal diagonal band of male rats (728) 57

Ralston III, H.J., see Meng, X.-W. (728) 111
Raskind, M.A., see Planas, B. (728) 57
Richter, A., see Ebert, U. (728) 125
Rodríguez-Puertas, R., Pascual, J. and Pazos, A.
Effects of freezing storage time on the density of muscarinic receptors in the human postmortem brain: an autoradiographic study in control and Alzheimer's disease brain tissues (728) 65
Rolseth, V., see Ciani, E. (728) 1
Rowland, L., see Dougherty, P.M. (728) 267
Rowland, N.E., Fregly, M.J., Han, L. and Smith, G.
Expression of Fos in rat brain in relation to sodium appetite: furosemide and cerebroventricular renin (728) 90
Rowland, N.E., see Li, B.-H. (728) 188
Ruskin, D.N., see LaHoste, G.J. (728) 97

Satoh, K., see Kawashima, R. (728) 79
Satoh, O. and Omote, K.
Roles of monoaminergic, glycinergic and GABAergic inhibitory systems in the spinal cord in rats with peripheral mononeuropathy (728) 27
Schwartz, W.J., see Peters, R.V. (728) 231
Sharp, J.W.
PCP and ketamine inhibit non-NMDA glutamate receptor mediated *hsp70* induction (728) 215
Shiosaka, S., see Okabe, A. (728) 116
Shuntoh, H., see Nei, K. (728) 105
Smith, G., see Rowland, N.E. (728) 90
Sołtysiak, Z., see Węgiel, J. (728) 20
Sugai, N., see Okamura, H. (728) 263
Swaab, D.F., see Timmers, H.J.L.M. (728) 141

Takahashi, K., see Kawashima, R. (728) 79
Takahashi, T., see Kawashima, R. (728) 79
Takashima, T., see Nakagawa, Y. (728) 225
Tanaka, C., see Matsuyama, S. (728) 175
Tanaka, C., see Nei, K. (728) 105
Tanaka, J., see Fukuda, T. (728) 274
Tarnawski, M., see Węgiel, J. (728) 20
Tebbe, J., see Mönnikes, H. (728) 157
Timmers, H.J.L.M., Swaab, D.F., Van de Nes, J.A.P. and Kremer, H.P.H.
Somatostatin 1–12 immunoreactivity is decreased in the hypothalamic lateral tuberal nucleus of Huntington's disease patients (728) 141
Trabulsi, R., Pawlowski, B. and Wieraszko, A.
The influence of steady magnetic fields on the mouse hippocampal evoked potentials in vitro (728) 135
Tsuji, M., see Nakagawa, Y. (728) 225

Uesugi, M., Kasuya, Y., Hama, H., Yamamoto, M., Hayashi, K., Masaki, T. and Goto, K.
Endogenous endothelin-1 initiates astrocytic growth after spinal cord injury (728) 255
Uretsky, N.J., see Dalia, A. (728) 209

Van de Nes, J.A.P., see Timmers, H.J.L.M. (728) 141
Vanderwolf, C.H., see Dringenberg, H.C. (728) 181
Varon, S., see Hoener, M.C. (728) 47
Voltattorni, M., see Ciani, E. (728) 1

Wallace, L.J., see Dalia, A. (728) 209
Watabe, K., see Fukuda, T. (728) 274
Węgiel, J., Wisniewski, H.M., Dziewiątkowski, J., Tarnawski, M., Dziewiątkowska, A., Moryś, J., Sołtysiak, Z. and Kim, K.S. Subpopulation of dogs with severe brain parenchymal β amyloidosis distinguished with cluster analysis (728) 20
Wieraszko, A., see Trabulsi, R. (728) 135
Wilson, W., see Cody, A.R. (728) 72
Wisniewski, H.M., see Węgiel, J. (728) 20
Wolf, W.A., see Crayton, J.W. (728) 260
Wong, R.K.S., see Zhang, A. (728) 204

Yamada, Y., see Osonoe, M. (728) 242
Yamamoto, M., see Uesugi, M. (728) 255
Yanagisawa, T., see Kawashima, R. (728) 79
Yoshida, S., see Okabe, A. (728) 116
Yoshioka, S., see Kawashima, R. (728) 79

Zhang, A., Fan, S.-H., Cheng, T.P.-O., Altura, B.T., Wong, R.K.S. and Altura, B.M. Extracellular Mg^{2+} modulates intracellular Ca^{2+} in acutely isolated hippocampal CA1 pyramidal cells of the guinea-pig (728) 204